



Installation, Operation and Maintenance Manual


Please read and save these instructions for future reference. Read carefully before attempting to assemble, install, operate or maintain the product described. Protect yourself and others by observing all safety information. Failure to comply with these instructions will result in voiding of the product warranty and may result in personal injury and/or property damage.

CONFIGURATION: INTERIOR CANTILEVER MOUNT LOCATION: REAR/INTERIOR STANDARD ANCHOR LOCATION: JAMBS, DETAILS A, B, C AND G OPTIONAL ANCHOR LOCATION: HEAD AND SILL, DETAILS D, E, F AND G (BELOW IS VIEWED FROM EXTERIOR)




FIELD WORK: LOUVER HAS FACTORY SEALED EDGES AND JOINTS. THE SEALING NOTED HEREIN IS OPTIONAL AND MAY OR MAY NOT BE REQUIRED PER THE PROJECT'S SPECIFICATIONS. INSTALLER SHALL SEAL THE PRODUCT AND INTERFACES IN ORDER TO COMPLY WITH THE PROJECT'S SPECIFICATIONS. INSTALLER SHALL SEPARATE DISSIMILAR MATERIALS AS REQUIRED PER PROJECT'S SPECIFICATIONS. SEALANT, BACKER ROD, SHIMS, ITEMS TO SEPARATE DISSIMILAR MATERIAL, ARE NOT BY LOUVER MANUFACTURER. SILL WEEP GAPS HEREIN REFER TO AN OPTIONAL BREAK IN THE CONTINUOUS PERIMETER SEAL TO ALLOW FOR WATER DRAINAGE. SUBSTRATE MINIMUMS NOTED HEREIN ARE FOR ANCHORING OF THE LOUVER TO THE SUBSTRATE ONLY. SUBSTRATE SHALL BE VALIDATED BY THE PROJECT'S APPROPRIATE ENGINEER FOR ITS ABILITY TO MEET THE REQUIRED DESIGN PRESSURE AND/OR IMPACT RESISTANCE.







2 AFL-501 Interior Cantilevered

DETAIL B SUBSTRATE FASTENER TABLE: EXTERIOR OR INTERIOR CANTILEVER, JAMB ANCHOR LOCATION									
SUBSTRATE	MIN EDGE, MIN BEARING NEAR ANCHOR	CENTERS	MIN EMBEDMENT	MIN DEPTH OF SUBSTRATE COMPONENT OF STRUCTURE	DTHER				
CONCRETE	3 ¹ 4" [83mm], 1 ¹ 4" [32mm] MIN BEARING TOWARD JAMB AND 2 ¹ 4" [57mm] MIN BEARING AWAY FROM JAMB	6″ [152mm]	3″ [76mm]	7* [178mm]	EDGE DISTANCE OF 3 ¹ / ₄ " [83mm] TEST MIN IN ONE DIRECTION AND 6" [152mm] MIN IN ALL OTHER DIRECTIONS, JAMB FLANGE MUST BE FULLY BACKED BY SUBSTRATE OR OTHER SUFFICIENT SUPPORT OVER NOTED BEARING DISTANCES				
	1" [13mm] Ø DEWALT SCREW-BOLT+, BY OTHERS								
	SUBSTRATE REQUIREMENTS: MIN 4KSI COMPRESSIVE STRENGTH								
GRDUT FILLED CMU	$3\frac{1}{4}$ " [83mm], $1\frac{1}{4}$ " [32mm] MIN BEARING TOWARD JAMB AND $2\frac{3}{4}$ " [70mm] MIN BEARING AWAY FROM JAMB	6" [152mm]	4 <mark>1</mark> ″ [108mm]	8″ [203mm] NOM CMU BLOCK	EDGE DISTANCE OF 34' [83mm] MIN IN ONE DIRECTION AND 8' [203mm] MIN IN ALL OTHER DIRECTIONS, JAMB FLANGE MUST BE FULLY BACKED BY SUBSTRATE OR OTHER SUFFICIENT SUPPORT OVER NOTED BEARING DISTANCES				
	1" [13mm] Ø DEWALT SCREW-BOLT+, BY OTHERS								
	SUBSTRATE REQUIREMENTS: -FULLY GROUTED CMU, 1.5 KSI [10.3 MPA] MIN COMPRESSIVE STRENGTH. -CMU BLOCK MIN: 8x8x16" [203x203x406mm] NOM, GRADE N, LIGHT OR NORMAL OR MED-WEIGHT, TYPE II, CONFORMS TO ASTM C90. -GROUT MIN: COMPRESSIVE STRENGTH OF AT LEAST EQUAL TO ITS SPECIFIED STRENGTH BUT MIN OF 2 KSI [13.8 MPA] AS TESTED PER ASTM C1019, OR ALTERNATIVELY PER SEC 3.2.2 OF ICC-ES REPORT ESR-4042.								
STEEL	1" [25mm], 1" [25mm] MIN BEARING TUWARD JAMB AND 1 ¹ 2" [38mm] MIN BEARING AWAY FROM JAMB	6″ [152mm]	3" [5mm] FOR NUT AND BOLT, 4" [6mm] FOR TAP AND BOLT	5" [127mm], CAN BE LESS IF MIN EMBEDMENT IS SATISFIED	PILOT HOLES PROVIDED FOR $\frac{1}{2}$ [13mm] ($\frac{9}{16}$ [14mm] MAX) Ø FIELD DRILLED HOLES, JAMB FLANGE MUST BE FULLY BACKED BY SUBSTRATE OR OTHER SUFFICIENT SUPPORT OVER NOTED BEARING DISTANCES				
	$\frac{1}{2}$ -13 GR5 ZP OR 300 SERIES SS BOLT, w/NUT, BY OTHERS, NUT OPTIONAL IF SUBSTRATE IS TAPPED								
	SUBSTRATE REQUIREMENTS AT BOLT LOCATION: MIN A36, ANY APPROPRIATE SHAPE ALLOWED, AT BOLT LOCATION MIN $rac{3}{16}$ " [5mm] FOR NUT AND BOLT OR MIN $rac{4}{4}$ " [6mm] FOR TAP AND BOLT								








H.

DETAIL D SUBSTRATE FASTENER TABLE: EXTERIOR OR INTERIOR CANTILEVER, HEAD AND SILL ANCHOR LOCATION								
SUBSTRATE	MIN EDGE, MIN BEARING NEAR ANCHOR	CENTERS, QUANTITY	MIN EMBEDMENT	MIN DEPTH OF SUBSTRATE COMPONENT OF STRUCTURE	DTHER			
CONCRETE	34' [83mm], 2' [51mm] MIN BEARING TOWARD HEAD/SILL AND 34' [89mm] MIN BEARING AWAY FROM HEAD/SILL	5″ [127mm], MAX DF 3 TOTAL AT EACH SECTION CORNER	5″ [127mm]	7 * [178mm]	EDGE DISTANCE OF $3\frac{1}{4}$ (B3mm] MIN IN ONE DIRECTION AND 6' IIS2mm] MIN IN ALL OTHER DIRECTIONS, HEAD/SILL FLANGE REINFORCEMENT PLATE MUST BE FULLY BACKED BY SUBSTRATE OR OTHER SUFFICIENT SUPPORT OVER NOTED BEARING DISTANCES			
	$\frac{5}{8}$ " [16mm] Ø DEWALT SCREW-BOLT+, BY OTHERS. CALCULATE "X" TO FIND THE TOTAL # OF FASTENERS AT THE CORNER OF EACH LOUVER SECTION: X=(ACTUAL SECTION HEIGHT)*(ACTUAL SECTION WIDTH)*(6.25/1,440) FOR X \leq 10 THEN 1/CORNER, FOR X \leq 16.25 THEN 2/CORNER, FOR X \leq 21 THEN 3/CORNER							
	SUBSTRATE REQUIREMENTS: MIN 4KSI COMPRESSIVE STRENGTH							
GROUT FILLED CMU	34' [83mm], 2' [51mm] MIN BEARING TOWARD HEAD/SILL AND 34' [95mm] MIN BEARING AWAY FROM HEAD/SILL	4" [102mm], MAX DF 4 TOTAL AT EACH SECTION CORNER	4 <mark>4</mark> ″ [108mm]	8″ [203mm] NOM CMU BLOCK	EDGE DISTANCE DF 34' [83mm] MIN IN DIRE DIRECTION AND 8' [203mm] MIN IN ALL DITHER DIRECTIONS, HEAD/SILL FLANGE REINFORCEMENT PLATE MUST BE FULLY BACKED BY SUBSTRATE OR OTHER SUFFICIENT SUPPORT OVER NOTED BEARING DISTANCES			
	$ \frac{1}{2}" [13mm] \emptyset DEWALT SCREW-BOLT+, BY OTHERS. CALCULATE "X" TO FIND THE TOTAL # OF FASTENERS AT THE CORNER OF EACH LOUVER SECTION: X=(ACTUAL SECTION HEIGHT)*(ACTUAL SECTION WIDTH)*(6.25/1,440) FOR X \leq 9 THEN 2/CORNER, FOR X \leq 13.5 THEN 3/CORNER, FOR X \leq 17.5 THEN 4/CORNER$							
	SUBSTRATE REQUIREMENTS: -FULLY GROUTED CMU, 1.5 KSI [10.3 MPA] MIN COMPRESSIVE STRENGTH. -CMU BLOCK MIN: 8x8x16" [203x203x406mm] NOM, GRADE N, LIGHT OR NORMAL OR MED-WEIGHT, TYPE II, CONFORMS TO ASTM C90. -GROUT MIN: COMPRESSIVE STRENGTH OF AT LEAST EQUAL TO ITS SPECIFIED STRENGTH BUT MIN OF 2 KSI [13.8 MPA] AS TESTED PER ASTM C1019, OR ALTERNATIVELY PER SEC 3.2.2 OF ICC-ES REPORT ESR-4042.							
STEEL	1" [25mm], 1¼" [32mm] MIN BEARING TUWARD HEAD/SILL AND 2¼ [57mm] MIN BEARING AWAY FROM HEAD/SILL	5" [127mm], MAX DF 3 TOTAL AT EACH SECTION CORNER	3." [5mm] FOR NUT AND BOLT, 4" [6mm] FOR TAP AND BOLT	5" [127mm], CAN BE LESS IF EMBEDMENT IS SATISFIED	PILOT HOLES PROVIDED FOR 2 [13mm] (197 [14mm] MAX) Ø FIELD DRILLED HOLES, HEAD/SILL FLANGE REINFORCEMENT PLATE MUST BE FULLY BACKED BY SUBSTRATE OR OTHER SUFFICIENT SUPPORT OVER NOTED BEARING DISTANCES			
	$\frac{1}{2}$ -13 GR5 ZP OR 300 SERIES SS BOLT, w/NUT, BY OTHERS, NUT OPTIONAL IF SUBSTRATE IS TAPPED. CALCULATE "X" TO FIND THE TOTAL # OF FASTENERS AT THE CORNER OF EACH LOUVER SECTION: X=(ACTUAL SECTION HEIGHT)*(ACTUAL SECTION WIDTH)*(6.25/1,440) FOR X \leq 15 THEN 2/CORNER, FOR X \leq 21 THEN 3/CORNER							
	SUBSTRATE REQUIREMENTS AT BOLT LOCATION: MIN A36, ANY APPROPRIATE SHAPE ALLOWED, AT BOLT LOCATION MIN $\frac{3}{16}$ " [5mm] FOR NUT AND BOLT OR MIN $\frac{1}{4}$ " [6mm] FOR TAP AND BOLT							

-



ALLOWABLE SECTION SIZES FOR EXTERIOR OR INTERIOR CANTILEVER CONFIGURATIONS							
SUBSTRATE MATERIAL	MIN STRUCTURE DEPTH (IN.)	ANCHOR LOCATION	MAX SECTION SIZE WxH (IN.)		NOTES		
			MILL	FINISHED	NOTES		
CONCRETE	7 OR MORE	JAMBS	60 x 120	60 x 88 48 x 104			
		HEAD AND SILL	48 × 94				
			72 × 67	72 × 58			
			96 x 50				
GROUT FILLED CMU	8 OR MORE	JAMBS	60 x 120	60 x 88 48 x 104			
		HEAD AND SILL	72 :	x 84 x 56 x 42			
STEEL	5 OR MORE	JAMBS	60 x 120	60 x 88 48 x 104			
		HEAD AND SILL	48 x 94		STRUCTURE DEPTH CAN BE LESS IF		
			72 × 67	72 x 58	MINIMUM EMBEDMENT IS SATISFIED.		
			96 x 50		1		

Our Commitment

As a result of our commitment to continuous improvement, Greenheck reserves the right to change specifications without notice.

Specific Greenheck product warranties are located on greenheck.com within the product area tabs and in the Library under Warranties.



Phone: 715.359.6171 • Fax: 715.355.2399 • Parts: 800.355.5354 • E-mail: gfcinfo@greenheck.com • Website: www.greenheck.com