

Application

Model RBD-10 is a remote powered balancing damper designed to regulate the flow of air in a HVAC system. This balancing damper is ideal for applications where it is difficult to get access to manually adjust the dampers and balance the airflow. The 'EZ Balance' hand held remote (equipped with 9 volt power supply) operates the damper actuator when connected to the diffuser connector or wall/ceiling plate.

Ratings

Pressure


Up to 1 in. wg (.25 kPa) - pressure differential

Velocity

Operational rated up to 2000 fpm (10.2 m/s)

Temperature

Maximum: 180°F (82°C)



*W & H dimension furnished approximately ½ in. (6mm) undersize.

Construction

	Standard	
Frame Material	Galvanized Steel	
Frame Thickness	22 ga. (0.9mm)	
Blade Material	Galvanized Steel	
Blade Action	Opposed	
Blade Thickness	20 ga. (1mm)	
Axles	Integral ½ in. (13mm) dia.	
Axle Bearings	Synthetic (acetal) sleeve	
Operator	9 volt actuator (shipped as a kit for field installation)	


Size Limitations

Diameter	Minimum Size	Maximum Size
Inches	6 x 4	36 x 12
mm	152 x 102	914 x 305

Note:

All wire connections are made with prewired RJ11 plugs and sockets. No additional wiring or tools required.


Note: Utilizing any controller other than 'EZ Balance' remote to adjust the RBD-10 damper voids the actuator warranty.



Accessories

- Diffuser connectors
- Single gang wall plates with ports (1,2, 3, 4 or 6 port)
 - Colors: white, or stainless steel
- Round wall/ceiling mounting plate with one port
- Single gang outlet box
- 'EZ Balance' remote control device (9 volt battery and 5 foot (1524mm) of cable included)
- 5, 14, 25 or 50 foot (1524, 4267, 7620 or 15,240mm) plenum rated cable
- Cable connectors

Wall plates with ports




White wall plate dimension is $3\frac{1}{4}$ in. x $4\frac{9}{4}$ in. (83mm x 121mm). Stainless steel wall plate dimension is $2\frac{9}{4}$ in. x $4\frac{1}{2}$ in. (70mm x 114mm).

Round wall/ceiling plate



31/4 in. (83mm) diameter


Single gang box



EZ Balance remote

Six Ports





Document Links



INSTALLATION



CATALOG



SPECIFICATIONS



SELECTION GUIDE



RBD ACCESSORIES



WARRANTY