

Greenheck Fan Cross Reference

Cross Reference Old GFC Model Numbers

1971-1980 - CBE, CBI, CBX					
Model Size	Fan Curb Size "A" Dimension	Fan Performance CFM at .25	Fan Performance CFM at .50	Max. RPM	Replacement Unit
CBE-10	22	1264	--	1640	GB-100
CBE-14	26	1583	--	1450	GB-140
CBE-18	30	4396	622	1110	GB-180
CBE-24	34	7420	1221	830	GB-240
CBE-30	40	11040	1478	645	GB-300
CBE-36	46	15267	2203	535	GB-360
CBE-48	58	24844	1652	390	GB-480/540
CBH-10	22	1265	1162	1660	GB-100
CBH-14	26 1/2	2587	2420	1440	GB-140
CBH-18	30	4208	3920	1100	GB-180
CBH-24	34	7485	6876	800	GB-240
CBH-30	40	11070	10193	620	GB-300
CBH-36	46	15987	14645	530	GB-360
CBH-48	58	27792	25356	390	GB-480/540
CBI-13	24	1671	1357	1380	GB-130
CBI-14	26	1803	1498	1240	GB-140
CBI-16	30	2812	2317	1101	GB-160
CBI-18	30	2990	2425	939	GB-180
CBI-22	31	4054	3300	833	GB-210
CBI-24	31	4988	4138	785	GB-240
CBI-27	40	7262	6420	736	GB-260
CBI-30	40	8915	7937	703	GB-300
CBI-33	44	11424	10512	712	GB-330
CBI-36	46	12942	11755	603	GB-360
CBI-42	58	21296	19319	532	GB-420
CBI-48	58	22043	19335	446	GB-480
CBX-10	22	1301	1151	1660	GB-100
CBX-14	26	2504	2328	1440	GB-140
CBX-18	30	4463	4169	1100	GB-180
CBX-24	34	7557	6973	800	GB-240
CBX-30	40	11068	10189	620	GB-300
CBX-36	46	15820	14676	530	GB-360
CBX-48	58	26639	24084	390	GB-480/540

1971-1980 - CE, CH, CI, CX

Model Size	Fan Curb Size "A" Dimension	Fan Performance CFM at .25	Fan Performance CFM at .50	Max. RPM	Replacement Unit
CE-5	17	21	--	1550	G-60/75
CE-6	17	57	--	1550	G-60/75
CE-7	19	174	--	1550	G-80/95
CE-7.5	19	285	--	1550	G-80/95
CE-8	19	504	405	1725	G-80/95
CE-9	19	702	590	1725	G-80/95
CE-10	22	1343	1214	1725	G-100/120
CE-12	24	1601	1472	1725	G-120
CE-13	26	2274	2141	1725	G-130/150
CE-14	26	1905	1676	1140	G-130/150
CE-16	30	3244	2990	1140	G-160/170
CE-18	30	4047	3787	1140	G-180
CH-6	17	129	--	1550	G-60/75
CH-7.5	17	318	--	1550	G-70/75
CH-9	19	702	628	1725	G-90/95
CH-10	22	1346	1258	1725	G-100
CH-12	24	1709	1611	1725	G-120
CH-13	24	2256	2139	1725	G-130
CH-14	26	1929	1748	1140	G-140
CH-16	30	3028	2828	1140	G-160/170
CH-18	30	3975	3749	1140	G-180
CH-24	34	7069	6662	840	GB-240
CH-30	40	9192	8454	580	GB-300
CI-6	17	50	--	1550	G-60/75
CI-7.5	19	236	--	1550	G-70/75
CI-9	19	640	456	1725	G-90/95
CI-10	22	1395	1150	1725	G-100
CI-12	24	1665	1420	1725	G-120
CI-13	24	2160	1925	1725	G-130
CI-14	26 1/2	1740	1295	1140	G-140/150
CI-16	30	2900	2430	1140	G-160/170
CI-18	30	3685	3220	1140	G-180
CX-6	17	95	--	1550	G-60/75
CX-7.5	17	289	--	1550	G-70/75
CX-9	19	743	622	1725	G-90/95
CX-10	22	1361	1221	1725	G-100
CX-12	24	1604	1478	1725	G-120
CX-13	26	2321	2203	1725	G-130
CX-14	26	1867	1652	1140	G-140
CX-16	30	3361	3101	1140	G-160/170
CX-18	30	4166	3914	1140	G-180
CX-24	34	7975	7444	840	GB-240
CX-30	40	10235	9283	580	GB-300

1960-1961 - LB

Model Size	Fan Curb Size "A" Dimension	Fan Performance CFM at .25	Fan Performance CFM at .50	Max. RPM	Replacement Unit
LB-13	24	1642	1370	1380	GB-130
LB-14	26 1/2	1799	1491	1240	GB-140
LB-16	30	2828	2385	1101	GB-160
LB-18	30	2980	2407	959	GB-180
LB-22	31	4045	3272	824	GB-210
LB-24	31	4897	3970	764	GB-240
LB-27	40	7240	6338	717	GB-260
LB-30	40	8367	7388	686	GB-300
LB-33	44	11265	10392	703	GB-330
LB-36	46	12278	11068	584	GB-360
LB-42	58	16708	14274	448	GB-420
LB-48	58	21086	18484	442	GB-480

1971-1983 - LBE

Model Size	Fan Curb Size "A" Dimension	Fan Performance CFM at .25	Fan Performance CFM at .50	Max. RPM	Replacement Unit
LBE-10	22	1300	1168	1620	LB-10
LBE-14	26	2604	2409	1450	LB-14
LBE-18	30	4448	4171	1110	LB-18
LBE-24	34	7463	6839	810	LB-24
LBE-30	40	10709	9929	625	LB-30
LBE-36	46	15015	13707	560	LB-36
LBE-48	58	23911	21648	390	LB-48

1971-1979 - LDE

Model Size	Fan Curb Size "A" Dimension	Fan Performance CFM at .25	Fan Performance CFM at .50	Max. RPM	Replacement Unit
LDE-6	17	--	--	1550	LD-60/65
LDE-7.5	19	247	--	1550	LD-70/75
LDE-9	19	709	589	1725	LD-95
LDE-10	22	1399	1279	1725	LD-100
LDE-12	24	1588	1455	1725	LD-120

1968-1978 - RCX

Model Size	Fan Curb Size "A" Dimension	Fan Performance CFM at .25	Fan Performance CFM at .50	Max. RPM	Replacement Unit
RCX-10	23	1483	1367	1760	LB-10
RCX-14	26	2818	2632	1440	LB-14
RCX-18	31	4194	3881	1130	LB-18
RCX-24	37	7046	6404	790	LB-24
RCX-30	45	11900	11069	690	LB-30
RCX-36	49	14922	13432	525	LB-36
RCX-48	62	28505	26986	440	LB-48

1967-1983 - SQB, SQD

Model Size	Fan Curb Size "A" Dimension	Fan Performance CFM at .25	Fan Performance CFM at .50	Max. RPM	Replacement Unit
SQB-10	16	2024	1963	2470	BSQ-100
SQB-12	18	2613	2545	2670	BSQ-120
SQB-13	20	3057	2964	2270	BSQ-130
SQB-14	22	4036	3892	2070	BSQ-140
SQB-16	26	5384	5231	1880	BSQ-160
SQB-18	28	6273	6079	1600	BSQ-180
SQB-24	37	11219	10842	1150	BSQ-240
SQB-30	44	17428	16802	920	BSQ-300
SQB-36	50	21884	21123	763	BSQ-360
SQD-6	10	11	--	1550	SQ-60/65
SQD-7.5	12	295	--	1150	SQ-70/75
SQD-9	14	731	610	1725	SQ-95
SQD-10	16	1378	1264	1725	SQ-100
SQD-12	18	1634	1509	1725	SQ-120
SQD-13	20	2269	2145	1725	SQ-130
SQD-14	22	3079	2953	1725	SQ-140
SQD-15-6	26	4979	4821	1725	SQ-160
SQD-18	28	5963	5786	1725	BSQ-180
SQD-24	37	10983	10679	1140	BSQ-240

1961-1980 - SW

Model Size	Fan Curb Size "A" Dimension	Fan Performance CFM at .25	Fan Performance CFM at .50	Max. RPM	Replacement Unit
SW-6	17	--	--	1550	CW-60/65
SW-7.5	17	--	--	1550	CW-70/75
SW-9	24	465	235	1550	CW-80/85
SW-10	28	1120	920	1725	CW-100
SW-12	28	1395	1185	1725	CW-120
SW-13	32	1925	1705	1725	CW-130
SW-14	32	1552	1105	1140	CW-140/150
SW-16	39	2540	2080	1140	CW-160/170
SW-18	39	3440	2960	1140	CW-180
SW-22	48	3657	3128	840	CWB-24
SW-24	48	5176	4378	840	CWB-24

1975-1978 - UCBE, UCBH

Model Size	Fan Curb Size "A" Dimension	Fan Performance CFM at .25	Fan Performance CFM at .50	Max. RPM	Replacement Unit
UCBE-10	22	1390	1278	1720	CUBE-100
UCBE-14	26	2666	2489	1500	CUBE-140
UCBE-18	30	3995	3704	1120	CUBE-180
UCBE-24	34	7172	6622	800	CUBE-240
UCBE-30	40	9623	8924	645	CUBE-300
UCBE-36	46	13939	12811	535	CUBE-360
UCBE-48	58	20709	18779	390	CUBE-480
UCBH-10	22	1247	1115	1630	CUBE-100
UCBH-14	26	2295	2115	1460	CUBE-140
UCBH-18	30	3949	3651	1120	CUBE-180
UCBH-24	34	6768	6264	805	CUBE-240
UCBH-30	40	9924	8876	635	CUBE-300
UCBH-36	46	14655	13383	535	CUBE-360

1975-1978 - UCE, UCH

Model Size	Fan Curb Size "A" Dimension	Fan Performance CFM at .25	Fan Performance CFM at .50	Max. RPM	Replacement Unit
UCE-10	22	1406	1290	1725	CUE-100
UCE-12	24	1585	1486	1725	
UCE-13	24	2309	2184	1725	
UCE-14	26	3074	2935	1725	CUE-140
UCH-10	22	1332	1211	1725	CUE-100
UCH-12	24	1568	1443	1725	
UCH-13	24	2202	2078	1725	
UCH-14	26	1682	1468	1140	CUE-140
UCH-16	30	2927	2614	1140	
UCH-18	30	3874	3622	1140	

1968-1981 - W4

Model Size	Fan Curb Size "A" Dimension	Fan Performance CFM at .25	Fan Performance CFM at .50	Max. RPM	Replacement Unit
W4-10	23	1483	1367	1760	LBP-10
W4-14	26	2818	2632	1440	LBP-14
W4-18	31	4194	3881	1130	LBP-18
W4-24	37	7046	6404	790	LBP-24
W4-30	45	11900	11069	690	LBP-30
W4-36	49	14922	13432	525	LBP-36
W4-48	62	28505	26986	440	LBP-48

CSP

Apr. 1989 to Jan. 1996 Older	Feb. 1996 to June 2002 Old	June 2002 to present New	New Design
--	7	B110	--
--	9	B150	--
--	12	B200	--
108A, 115A	210	A110	--
--	216	A125	--
117A	218	A190	--
--	--	New Design	A200
125A	224	A250	--
--	226	A290	--
127A	228	A390	--
150A	250	A410	--
152A	252	A510	--
--	--	New Design	A700
--	255	A710	--
158A	258	A780	--
160A	260	A900	--
162A	262	A1050	--
--	264	A1410	--
165A	265	A1550	--
170	270	A1750	--
175	275	A2150	--
--	280	A3600	--

SP				
1982 to Mar. 1989 Oldest	Apr. 1989 to Jan. 1996 Older	Feb. 1996 to June 2002 Old	June 2002 to present New	New Design
--	--	--	New Design	A50
--	--	--	New Design	A70
--	--	--	New Design	A90
--	--	--	New Design	B50
--	--	--	New Design	B70
--	--	--	New Design	B80
--	5	5	C50	--
--	6	6	Not replaced	--
--	--	6.5	B90	--
--	--	7	B110	--
--	--	9	B150	--
--	--	12	B200	--
8, 15	108, 115	210	A110	--
--	--	216	A125	--
17	117	218	A190	--
--	--	--	New Design	A200
25	125	224	A250	--
--	--	226	A290	--
27	127	228	A390	--
50	150	250	A410	--
--	152	252	A510	--
--	--	--	New Design	A700
55	155	255	A710	--
--	158	258	A780	--
60	160	260	A900	--
--	--	262	A1050	--
--	--	264	A1410	--
--	165	265	A1550	--

Greenheck	Venco
G	VECD
GB	VECB
CUBE	VUCB
GW	VWCD
GWB	VWCB
SP	VQ
CSP	VQI
BCF	VQIB
SE	VWE
SS	VWS
SBE	VWBE
SBS	VWBS
SQ	VICD
BSQ	VICB
FHI	VGI
FHR	VGR
GRS	VRS
RSF	VSF
RE	VRDE
RS	VRDS
RBE	VRBE
RBS	VRBS
RBF	VRBF
RBU	VRBU
RBUMO	VRBUO
RDU	VRDU
RGU	VRGU
TAD	VTD
TAB	VTB
SFD	VFCD
SFB	VFCB
SWB	VBIB
BISW	VBIB-H
BIDW	VDWB