





# Linear Slot Diffuser Competitor Cross Reference Guide

|                            |               | Drawing                             | Description  | Greenheck                    | Price       | Titus        | Krueger     | Nailor     | Notes  |
|----------------------------|---------------|-------------------------------------|--|------------------------------|-------------|--------------|-------------|------------|--|
| <b>COMMON BORDER TYPES</b> | Surface Mount | <p>XG-6600-11-1 (No Hardware)</p>   | Surface Mount Without Hardware (Face Screw or Duct Mounting)                               | <a href="#">XG-6600-11-1</a> | Type 1 / 1B | Type 1A / 1B | Style B / J | Type A / B |  |
|                            |               | <p>XG-6600-12-1 (With Hardware)</p> | Surface Mount With Concealed Mounting Hardware   | <a href="#">XG-6600-12-1</a> | Type 2      | Type 2A      | Style C     | Type C     | XG-6600-12-1 model should be used when joining it with a hemmed plenum (Greenheck model XG-UP/UPI) |
|                            | 15/16" Lay-In | <p>XG-6600-10-6 (No Hardware)</p>   | Standard 15/16" T-Bar Lay-In Mount - 1-1/8" Flange Border Without Hardware                 | <a href="#">XG-6600-10-6</a> | Type 14, 15 | Type 1B      | Style A     | Type T     | Greenheck flange = 1-1/8"<br>Krueger flange = 3/4"<br>Price and Nailor flange = 7/8"               |
|                            |               | <p>XG-6600-12-6 (With Hardware)</p> | Standard 15/16" T-Bar Lay-In Mount - 1-1/8" Flange Border With Concealed Mounting Hardware | <a href="#">XG-6600-12-6</a> |             |              |             |            | XG-6600-12-6 model should be used when joining it with a hemmed plenum (Greenheck model XG-UP/UPI) |





| Base Model Cross Reference | Greenheck Model | Slot Width       | Price        | Titus | Krueger         | Nailor |
|----------------------------|-----------------|------------------|--------------|-------|-----------------|--------|
|                            | XG-6650         | 1/2"             | SDS50        | ML-37 | 1950            | 5050   |
|                            | XG-6675         | 3/4"             | SDS75        | ML-38 | 1975            | 5075   |
|                            | XG-6610         | 1"               | SDS100       | ML-39 | 1910            | 5010   |
|                            | XG-6615         | 1-1/2"           | SDS150       | None  | 1915            | 5015   |
|                            | XG-6675TZ       | 3/4" (TechZone™) | SDS Techzone | ML-TZ | 1975 (Techzone) | 5075TZ |

# Linear Slot Diffuser Competitor Cross Reference Guide

|                            |            | Drawing  | Description   | Greenheck                    | Price   | Titus | Krueger | Nailor  | Notes  |
|----------------------------|------------|--|---|------------------------------|---------|-------|---------|---------|--|
| <b>COMMON BORDER TYPES</b> | Drop Face  |  <p>XG-6600-40-8 (No Hardware)</p>    | Tegular 9/16" Lay-In Mount - Drop Face Frame Without Hardware                               | <a href="#">XG-6600-40-8</a> | Type 17 | ML-NT | Style K | Type FL |  |
|                            |            |  <p>XG-6600-42-8 (With Hardware)</p>  | Tegular 9/16" Lay-In Mount - Drop Face Frame With Concealed Mounting Hardware               | <a href="#">XG-6600-42-8</a> |         |       |         |         | XG-6600-42-8 model should be used when joining it with a hemmed plenum (Greenheck model XG-UP/UPI) |
|                            | Narrow Tee |  <p>XG-6600-40-9 (No Hardware)</p>    | 9/16" Narrow Tee / Bolt Slot / Donn® Finline® Lay-In Mount Without Hardware                 | <a href="#">XG-6600-40-9</a> |         |       |         |         |  |
|                            |            |  <p>XG-6600-42-9 (With Hardware)</p> | 9/16" Narrow Tee / Bolt Slot / Donn® Finline® Lay-In Mount With Concealed Mounting Hardware | <a href="#">XG-6600-42-9</a> |         |       |         |         | XG-6600-42-9 model should be used when joining it with a hemmed plenum (Greenheck model XG-UP/UPI) |

| Base Model Cross Reference | Greenheck Model | Slot Width       | Price        | Titus | Krueger         | Nailor |
|----------------------------|-----------------|------------------|--------------|-------|-----------------|--------|
|                            | XG-6650         | 1/2"             | SDS50        | ML-37 | 1950            | 5050   |
|                            | XG-6675         | 3/4"             | SDS75        | ML-38 | 1975            | 5075   |
|                            | XG-6610         | 1"               | SDS100       | ML-39 | 1910            | 5010   |
|                            | XG-6615         | 1-1/2"           | SDS150       | None  | 1915            | 5015   |
|                            | XG-6675TZ       | 3/4" (TechZone™) | SDS Techzone | ML-TZ | 1975 (Techzone) | 5075TZ |

# Linear Slot Diffuser Competitor Cross Reference Guide

| SPECIALTY BORDER TYPES   |  | Drawing            | Description   | Greenheck  | Price                        | Titus       | Krueger | Nailor  | Notes  |
|--|--|--------------------|---|--|------------------------------|-------------|---------|---|--------|
|  |  | 3/4" Flange Lay-In |  | Standard 15/16" T-Bar Lay-In Mount - 3/4" Flange Border Without Hardware | <a href="#">XG-6600-20-6</a> | Type 14, 15 | Type 1B | Style A   | Type T |
|   | Standard 15/16" T-Bar Lay-In Mount - 3/4" Flange Border With Concealed Mounting Hardware |                    | <a href="#">XG-6600-22-6</a>  |  | Type 2B                      |             |         | Titus flange = 7/8"<br>XG-6600-22-6 model should be used when joining it with a hemmed plenum (Greenheck model XG-UP/UPI) |        |
|   | Standard 15/16" T-Bar Lay-In Mount - 1/2" Flange Border Without Hardware                 |                    | <a href="#">XG-6600-30-6</a>  |  |                              |             |         |   |        |
|  | Standard 15/16" T-Bar Lay-In Mount - 1/2" Flange Border With Concealed Mounting Hardware |                    | <a href="#">XG-6600-32-6</a>  |  |                              |             |         | XG-6600-32-6 model should be used when joining it with a hemmed plenum (Greenheck model XG-UP/UPI)                        |        |

| Base Model Cross Reference | Greenheck Model | Slot Width       | Price        | Titus | Krueger         | Nailor |
|----------------------------|-----------------|------------------|--------------|-------|-----------------|--------|
|                            | XG-6650         | 1/2"             | SDS50        | ML-37 | 1950            | 5050   |
|                            | XG-6675         | 3/4"             | SDS75        | ML-38 | 1975            | 5075   |
|                            | XG-6610         | 1"               | SDS100       | ML-39 | 1910            | 5010   |
|                            | XG-6615         | 1-1/2"           | SDS150       | None  | 1915            | 5015   |
|                            | XG-6675TZ       | 3/4" (TechZone™) | SDS Techzone | ML-TZ | 1975 (Techzone) | 5075TZ |

# Linear Slot Diffuser Competitor Cross Reference Guide

| SPECIALTY BORDER TYPES                      |  | Drawing           | Description                               | Greenheck   | Price                         | Titus   | Krueger | Nailor                  | Notes  |
|---|--|-------------------|---|---|-------------------------------|---------|---------|-------------------------|--------|
|   |  | Plaster Sub-Frame | <p>XG-6600-22-73 (Plaster Both Sides)</p> | Concealed Mount -<br>3/4" Flange Border -<br>Plaster Frame Both Sides | <a href="#">XG-6600-22-73</a> | Type 6  | Type 6  |                         | Type G |
| <p>XG-6600-22-74 (Plaster / Wall Frame)</p> | Concealed Mount -<br>3/4" Flange Border -<br>Plaster One Side /<br>Wall Frame Other Side |                   | <a href="#">XG-6600-22-74</a>             |   | Type 11                       |         |         |                         |        |
| <p>XG-6600-22-75 (Wall Frame)</p>           | Concealed Mount -<br>3/4" Flange Border -<br>Wall Frame Both Sides                       |                   | <a href="#">XG-6600-22-75</a>             | Type 3  | Type 3                        | Style E | Type E  | Krueger flange = 1-1/8" |        |

| Base Model<br>Cross Reference | Greenheck Model | Slot Width       | Price        | Titus | Krueger         | Nailor |
|-------------------------------|-----------------|------------------|--------------|-------|-----------------|--------|
|                               | XG-6650         | 1/2"             | SDS50        | ML-37 | 1950            | 5050   |
|                               | XG-6675         | 3/4"             | SDS75        | ML-38 | 1975            | 5075   |
|                               | XG-6610         | 1"               | SDS100       | ML-39 | 1910            | 5010   |
|                               | XG-6615         | 1-1/2"           | SDS150       | None  | 1915            | 5015   |
|                               | XG-6675TZ       | 3/4" (TechZone™) | SDS Techzone | ML-TZ | 1975 (Techzone) | 5075TZ |

# Linear Slot Diffuser Competitor Cross Reference Guide

|                        |                  | Greenheck  | Price                        | Titus   | Krueger | Nailor  | Notes   |   |
|------------------------|------------------|--|------------------------------|---------|---------|---------|---------|---|
| SPECIALTY BORDER TYPES | Concealed Spline | <p>Concealed Spline Mount - 9/16" Flange Border Without Hardware</p> <p>XG-6600-40-7 (No Hardware)</p>                   | <a href="#">XG-6600-40-7</a> |         |         |         |         |   |
|                        |                  | <p>Concealed Spline Mount - 9/16" Flange Border With Concealed Mounting Hardware</p> <p>XG-6600-42-7 (With Hardware)</p> | <a href="#">XG-6600-42-7</a> | Type 12 | Type 12 | Style I | Type N  |   |
|                        | Tape and Spackle | <p>Tape and Spackle (Mud-In) Surface Mount Without Hardware</p> <p>XG-6600-50-1 (No Hardware)</p>                        | <a href="#">XG-6600-50-1</a> | Type 8A |         |         | Type KA | Greenheck model would require counter-sinking holes in the field  |
|                        |                  | <p>Tape and Spackle (Mud-In) Surface Mount With Concealed Mounting Hardware</p> <p>XG-6600-52-1 (With Hardware)</p>      | <a href="#">XG-6600-52-1</a> | Type 8  | Type 22 | Style M | Type J  | Titus and Krueger use mounting clips, whereas Greenheck, Price and Nailor use concealed mounting brackets (shown) |

| Base Model Cross Reference | Greenheck Model | Slot Width       | Price        | Titus | Krueger         | Nailor |
|----------------------------|-----------------|------------------|--------------|-------|-----------------|--------|
|                            | XG-6650         | 1/2"             | SDS50        | ML-37 | 1950            | 5050   |
|                            | XG-6675         | 3/4"             | SDS75        | ML-38 | 1975            | 5075   |
|                            | XG-6610         | 1"               | SDS100       | ML-39 | 1910            | 5010   |
|                            | XG-6615         | 1-1/2"           | SDS150       | None  | 1915            | 5015   |
|                            | XG-6675TZ       | 3/4" (TechZone™) | SDS Techzone | ML-TZ | 1975 (Techzone) | 5075TZ |

# Linear Slot Diffuser Competitor Cross Reference Guide

| SPECIALTY BORDER TYPES |  | Drawing  | Description                    | Greenheck  | Price                          | Titus   | Krueger | Nailor | Notes |
|------------------------|--|--|--------------------------------|--|--------------------------------|---------|---------|--------|-------|
|                        |  | Exposed Spiral Duct Mount                                  |                                | Exposed Spiral Duct Mount Without Hardware (Face Screw Mounting) | <a href="#">XG-6610SP-11-1</a> |         |         |        |       |
|                        |  | Exposed Spiral Duct Mount With Concealed Mounting Hardware | <a href="#">XG-6610SP-12-1</a> | Type 16  | Type 16                        | Style L |         |        |       |

| Base Model Cross Reference | Greenheck Model | Slot Width       | Price        | Titus | Krueger         | Nailor |
|----------------------------|-----------------|------------------|--------------|-------|-----------------|--------|
|                            | XG-6650         | 1/2"             | SDS50        | ML-37 | 1950            | 5050   |
|                            | XG-6675         | 3/4"             | SDS75        | ML-38 | 1975            | 5075   |
|                            | XG-6610         | 1"               | SDS100       | ML-39 | 1910            | 5010   |
|                            | XG-6615         | 1-1/2"           | SDS150       | None  | 1915            | 5015   |
|                            | XG-6675TZ       | 3/4" (TechZone™) | SDS Techzone | ML-TZ | 1975 (Techzone) | 5075TZ |

# Linear Slot Diffuser Competitor Cross Reference Guide

| TECHZONE™ STYLE BORDER TYPES | Drawing | Description   | Greenheck                     | Price   | Titus    | Krueger | Nailor  | Notes |
|------------------------------|---------|---|-------------------------------|---------|----------|---------|---------|-------|
|                              |         | TechZone™ Border - 4" Width - Lay-In T-Bar                      | <a href="#">XG-6675TZ4-6</a>  | Type 19 | ML-TZ-LT | Style S | Type L  |       |
|                              |         | TechZone™ Border - 4" Width - Bolt Slot / Donn® Finline® Lay-In | <a href="#">XG-6675TZ4-9</a>  | Type 18 | ML-TZ-NT | Style N | Type NT |       |
|                              |         | TechZone™ Border - 4" Width - Narrow Tee 9/16" Lay-In           | <a href="#">XG-6675TZ4-NT</a> | Type 18 | ML-TZ-NT | Style N | Type NT |       |

| Base Model Cross Reference | Greenheck Model | Slot Width       | Price        | Titus | Krueger         | Nailor |
|----------------------------|-----------------|------------------|--------------|-------|-----------------|--------|
|                            | XG-6650         | 1/2"             | SDS50        | ML-37 | 1950            | 5050   |
|                            | XG-6675         | 3/4"             | SDS75        | ML-38 | 1975            | 5075   |
|                            | XG-6610         | 1"               | SDS100       | ML-39 | 1910            | 5010   |
|                            | XG-6615         | 1-1/2"           | SDS150       | None  | 1915            | 5015   |
|                            | XG-6675TZ       | 3/4" (TechZone™) | SDS Techzone | ML-TZ | 1975 (Techzone) | 5075TZ |

# Linear Slot Diffuser Competitor Cross Reference Guide

| TECHZONE™ STYLE BORDER TYPES |   | Drawing                       | Description                                | Greenheck                    | Price   | Titus    | Krueger | Nailor | Notes |
|------------------------------|---|-------------------------------|--|------------------------------|---------|----------|---------|--------|-------|
|                              |   |                               | TechZone™ Border - 6" Width - Lay-In T-Bar | <a href="#">XG-6675TZ6-6</a> | Type 19 | ML-TZ-LT | Style S | Type L |       |
|                              | TechZone™ Border - 6" Width - Bolt Slot / Donn® Finline® Lay-In | <a href="#">XG-6675TZ6-9</a>  | Type 20                                    |                              |         | Type TL  |         |        |       |
|                              | TechZone™ Border - 6" Width - Narrow Tee 9/16" Lay-In           | <a href="#">XG-6675TZ6-NT</a> | Type 18                                    | ML-TZ-NT                     | Style N | Type NT  |         |        |       |

| Base Model Cross Reference | Greenheck Model | Slot Width       | Price        | Titus | Krueger         | Nailor |
|----------------------------|-----------------|------------------|--------------|-------|-----------------|--------|
|                            | XG-6650         | 1/2"             | SDS50        | ML-37 | 1950            | 5050   |
|                            | XG-6675         | 3/4"             | SDS75        | ML-38 | 1975            | 5075   |
|                            | XG-6610         | 1"               | SDS100       | ML-39 | 1910            | 5010   |
|                            | XG-6615         | 1-1/2"           | SDS150       | None  | 1915            | 5015   |
|                            | XG-6675TZ       | 3/4" (TechZone™) | SDS Techzone | ML-TZ | 1975 (Techzone) | 5075TZ |